

Insulation



# Pal Duct™ Eco System

Using Anti-Microbial Coated Aluminium Faced Panels



# Introduction

## Overview

Micro-organisms are unavoidably present in the air we breathe. Bacteria can be harmful and can be the cause of unwanted odours, stains and infectious diseases.

The HVAC industry has become to be increasingly concerned with the quality of air that is distributed through the ductwork in a building. Hygienic coatings for HVAC ductwork have been designed for use in locations such as food preparation areas, clinics, schools and hospitals, where it is important to limit the growth of bacteria. Moreover, this may be especially important in high humidity areas where bacteria can multiply rapidly.

The Kingspan PalDuct Eco System is an advanced and innovative pre-insulated rectangular HVAC ductwork system. It comprises Kingspan PalDuct Eco panels, fabrication methods, coupling systems and a complete line of accessories to produce ductwork in sections up to 4 m long.

The Kingspan PalDuct Eco System uses Panels and components, which are coated in an innovative antimicrobial technology that inhibits the growth of bacteria.

## Operating Recommendations & Limitations

It is recommended that ductwork fabricated from The Kingspan PalDuct Eco System is used for operation as supply, return, fresh and exhaust air ductwork for HVAC systems within the limits shown in the table below. These limits assume that the ductwork has been fabricated in accordance with the Kingspan PalDuct Fabrication Guidelines.

Property	Value
Pressure Limit (Pa)	1000
Air Speed (m/s)	15
Max. Panel Length	Unlimited
Application	Indoor
Temperature	Internal air temperature of -20°C to +75°C during continuous operation

## Application Suitability

The Kingspan PalDuct Eco System is designed for use in building services/HVAC applications. It is suitable for both new build and refurbishment projects in the residential, commercial, public and light industrial and leisure sectors. Moreover, it is especially suitable for use in projects where the spread of bacteria may be a consideration, such as:

- clinics and hospitals;
- clean air and hygiene controlled environments;
- laboratories;
- food, beverage and pharmaceutical industries; and
- operating rooms.


## Fabrication and Installation

Ductwork fabricated from The Kingspan PalDuct Eco System should only be fabricated by specially trained fabricators who have completed the specialised and comprehensive training course provided for the System.




## Kingspan PalDuct Eco Panels

Kingspan PalDuct Eco Panel comprises a fibre-free rigid thermoset polyisocyanurate (PIR) or polyurethane (PUR) insulation core, faced on one side with an embossed aluminium foil and the other with a smooth aluminium foil. Both facings are protected with Biomaster antimicrobial technology. The panels can be joined together with antimicrobial coated, green coloured aluminium and polymer profiles and adhesive materials to create a pre-insulated HVAC ductwork system that can resist the spread of surface bacteria.



Embossed



Smooth

Property	Value
Thickness (mm)	20 & 30
Panel Dimensions (mm)	4000 x 1200
Density (kg/m <sup>3</sup> )	48-50
Thermal Conductivity (W/m.K)	0.020
Aluminium Foil	Smooth/embossed Antimicrobial Coating
Compressive Strength	typically exceeds 175 kPa

## Fittings & Accessories

The Kingspan PalDuct Eco System comprises a complete line of profiles and accessories for joining panels, which produces pre-insulated rigid ductwork sections that, on the surface of the duct, resist the spread of bacteria.

# Kingspan PalDuct Eco System

## Features

The Kingspan PalDuct Eco System has been developed to fight harmful airborne micro-organisms more effectively. Kingspan PalDuct Eco Panels are protected with Biomaster Antibacterial Technology, which has been shown to inhibit the growth of bacteria on the surface of the ductwork system.

The Kingspan PalDuct Eco System has been tested by an independent laboratory and found to have bacterial growth resistance on the following organisms:

- *Pseudomonas aeruginosa*;
- *Staphylococcus aureus*; and
- *Escherichia coli*.

Additionally, due to its pre-insulated nature the System is lightweight, and therefore, easy to install. The System is also easy to clean and maintain, which ensures that a consistent quality of air can be upheld inside the ductwork.

## Certifications & Compliance

Kingspan Insulation is ISO certified and complies with Management System standards: ISO 9001: 2015 (Quality management systems. Requirements), ISO 14001: 2015 (Environmental Management Systems. Requirements) and BS / I.S OHSAS 18001: 2007 (Health and Safety Management Systems. Requirements). Kingspan PalDuct Eco products have Factory Control, Product Level certification and Product Approval issued by Warrington Certifire. Kingspan PalDuct Eco has been tested in accordance with the requirements of EN 13403:2013 (Ventilation for buildings non-metallic ducts. Ductwork made from insulation duct boards.)


Kingspan PalDuct Eco has been tested to ISO 22196 (Antimicrobial Efficiency of a Treated, Non-porous Surface).

## How does Biomaster protection work?

Biomaster is based on silver ion technology. When bacteria comes into contact with a Biomaster protected surface, the silver ions prevent them from growing, producing energy or replicating, therefore they die.

The controlled release of the active ingredient provides maximum antibacterial protection for the lifetime of the product.

Figure 1: How Biomaster Antimicrobial Technology Works



The active antimicrobial agent in Biomaster complies with the required legislation including:

- Biocidal Products Regulation (BPR);
- Food and Drug Administration (FDA); and
- Environmental Protection Agency (EPA).

---

# Contact Details

---

## Kingspan Insulation LLC

P.O. Box 113826, Dubai Investment Park 2,  
Dubai, U.A.E.

T: +971 (0) 4 889 1000

F: +971 (0) 4 883 8515

E: [info@kingspaninsulation.ae](mailto:info@kingspaninsulation.ae)

[www.kingspaninsulation.com](http://www.kingspaninsulation.com)

## Technical Service

Kingspan Insulation has one of the most technically advanced support services in the industry offering a full spectrum of advice, free of charge for all types of design projects.

The Kingspan Insulation technical team are continually updating their knowledge on building regulations, best practise, construction methods and the development of building materials to ensure the advice and services provided are always one step ahead.

### Services available:

- U-value calculations;
- condensation/dew point risk calculations;
- advice on product selection and product data for the full range of Kingspan Insulation products;
- installation and fixing advice on all applications and products;
- specification and construction advice; and
- Tapered Roofing Design service.

Email: [technical@kingspaninsulation.ae](mailto:technical@kingspaninsulation.ae)

Kingspan Insulation LLC reserves the right to amend product specifications without prior notice. Product thicknesses shown in this document should not be taken as being available ex-stock and advice should be sought directly from Kingspan Insulation LLC. The information, technical details and fixing instructions etc. included in this literature are given in good faith and apply to uses described herein. Recommendations for use should be verified as to the suitability and compliance with actual requirements, specifications and any applicable codes, laws and regulations. For other applications or conditions of use, contact Kingspan Insulation LLC. Advice should be sought for uses of Kingspan Insulation products that are not specifically described herein. The fire tests referenced in this literature and the assigned results are not intended to reflect hazards presented by the materials and products described herein under actual fire conditions. Please check that your copy of the literature is current by visiting [www.kingspaninsulation.com](http://www.kingspaninsulation.com)  
Countries comprise: the Middle East as far North and East as (and including) Turkey, Iran and Oman and as far South and West as (and including) Saudi Arabia and Yemen.

© Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group plc. All rights reserved.  
TM PalDuct is a Trademark of the Kingspan Group plc.

No rights can be derived from this document. Changes, typesetting and printing errors reserved. This version replaces all previous versions.

